Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	184	"380""/""45".ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/21 07:26
S2	136	"380""/""260".ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 13:37
S3	88	"380""/""261".ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 15:09
S4	3	("5159633" "5712914" "5974144").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 11:44
S5	88	380/284.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 15:28
S6	3141	713/201.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 15:27
S7	22	380/284.ccls. and header	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 15:37
S8	1	"6735311".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/15 15:37
S9	21	Security adj keys with convolution adj techniques	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 08:07
S10	189	saito-makoto.in.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 11:44
S11	1	saito-makoto.in. and secure.ti.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 11:58

S12	49	("6256390" "5420866" "5477263" "5594492" "6502135" "6618761" "6061451" "6061451" "6728270" "5680452" "6081600" "5642421" "5960088" "6052374" "6076168" "6272632" "6275588" "6463151" "6708218" "5742623" "6052786" "6201798" "5696826" "5440640" "5937067" "5684876" "5812663" "5680457" "6477185" "5983350" "6266335" "6438612" "5646999" "6097818" "6182218" "5848158" "5974141" "6081794" "5319705" "5696823" "4919545" "5369702" "5533123" "5717755" "5765152" "5825876" "5898781" "5999622" "6118870" "6253193").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:19
S13	299124	(hash$3 of digest$2 or check$1sum$2)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:20
S14	972	(hash$3 of digest$2 or check$1sum$2) same (exclusive$1or or "xor")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:21
S15	591	(hash$3 of digest$2 or check$1sum$2) with(exclusive$1or or "xor")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:21
S16	79	(hash$3 of digest$2 or check$1sum$2) with (exclusive$1or or "xor") with (key)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 13:22
S17	5	(hash$3 of digest$2 or check$1sum$2) with (exclusive$1or or "xor") with (key) same (public or private or assymetric) adj key	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:34
S18	20	multimedia same how adj often	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:37
S19	618	(licens$3 or licenc$3) same ((how adj often) or (how adj many) or (number adj times))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:39
S20	340	(licens$3 or licenc$3) same ((how adj often) or (how adj many) or (number adj times)) same (time or date)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:40
S21	51	(licens$3 or licenc$3) same ((how adj often) or (how adj many) or (number adj times)) same (time or date) same (media)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:56

S22	55	(licens$3 or licenc$3) same ((how adj often) or (how adj many) or (number adj times)) same (play$2 or view$2 or cop$3) same (media)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 15:00
S23	9	S22 not S21	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 14:57
S24	3018	((how adj often) or (how adj many) or (number adj times)) same (execut$2 or play$2 or view$2 or cop$3 or reproduc$2) same (song or movie or video or media or file)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 15:02
S25	1557	((how adj often) or (how adj many) or (number adj times)) with (execut$2 or play$2 or view$2 or cop$3 or reproduc$2) same (song or movie or video or media or file)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 15:02
S26	962	((how adj often) or (how adj many) or (number adj times)) with (execut$2 or play$2 or view$2 or cop$3 or reproduc$2) with (song or movie or video or media or file)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 15:02
S27	237	((how adj often) or (how adj many) or (number adj times)) with (execut$2 or play$2 or view$2 or cop$3 or reproduc$2) with (song or movie or video or media or file) and (licenc$3 or licens$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/16 15:03
S28	174	713/160.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 09:38
S29	346	713/160-161.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 09:38
S30	121	S29 and signature	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 09:41
S31	105	S29 and signature and public	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 09:41
S32	58	send$3 with key and address with header and address with hash	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 10:58
S33	3474	address with header same (network and packet$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 10:59

S34	581	address with header same (network and packet$1) and (hash or checksum or digest) same (address)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:11
S35	361	address with header same (network and packet$1) and (hash or checksum or digest) with (address)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:26
S36	427	address with header same (network and packet$1) and (hash or checksum or digest) with (header)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:26
S37	44	address with header same (network and packet$1) and (hash or checksum or digest) with (header) and signature$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:31
S38	122	header with (license or licence)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:52
S39	197	header same (license or licence)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:52
S40	1368	key with (licence$1 or License$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:54
S41	93	S39 and S40	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:53
S42	2050	key with (expir$5)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 11:55
S43	33	key with (expir$5) same header	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:09
S44	48013	key same (maximum or limit$2)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:09
S45	18180	key with (maximum or limit$2)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:10
S46	4948	key with (maximum or limit$2 or threshold) with (us$3 or employ$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:11
S47	74	key with (maximum or limit$2 or threshold) with (us$3 or employ$3) with expir$5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:21
S48	1143	key with encryption and key with (maximum or limit$2 or threshold) with (us$3 or employ$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:22

S49	1312	key with encryption and key with (maximum or limit$2 or threshold) with (us$3 or time$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:22
S50	105	key with encryption and key with (maximum or limit$2 or threshold) with (us$3 or time$1) same expir$5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:27
S51	937	key with encryption and key with expir$5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 12:27
S52	51	key with encryption and key with expir$5 with uses	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 15:02
S53	5257	communication adj network and personal adj computer and message not $2crypt$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 15:04
S54	994	communication adj network same personal adj computer and message not $2crypt$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 15:12
S55	187	communication adj network same personal adj computer and message same $2crypt$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 15:04
S57	37	communication adj network.ti. and communication adj network same personal adj computer and message not $2crypt$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/20 15:16
S58	606	personal adj computers with messag$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/21 07:27
S59	353	personal adj computers with messag$3 not secur$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/21 07:27